# COLGATE-PALMOLIVE COMPANY

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Klorin Power Mousse Spray

B02920310004

Product code : 200000055018

Unique Formula Identifier

(UFI)

: HQ61-C0S9-R00E-702F

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : all purpose cleaner for household use.

stance/Mixture Biocidal product

1.3 Details of the supplier of the safety data sheet

Company : Colgate-Palmolive AB

Svärdvägen 23,

Boks 560,

SE-182 15 DANDERYD, Sweden

Telephone : 0046 8446 59 00

E-mail address of person

responsible for the SDS

colgate\_sds@colpal.com

### 1.4 Emergency telephone number

CHEMTREC Sweden (Stockholm): +(46)-852503403

Emergency number: 112

Global-CHEMTREC- +1 703-741-5970

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

Serious eye damage, Category 1 H318: Causes serious eye damage.

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physi-

cian.

P302 + P352 IF ON SKIN: Wash with plenty of soap and

water.

Disposal:

P501 Dispose of contents/ container to appropriately labeled waste containers in accordance with national regulations.

Hazardous components which must be listed on the label:

SODIUM HYPOCHLORITE SODIUM HYDROXIDE

### Additional Labelling

EUH206 Warning! Do not use together with other products. May release dangerous gas-

es (chlorine).

Use only in well-ventilated area.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
SODIUM HYPOCHLORITE	7681-52-9 231-668-3 017-011-00-1 01-2119488154-34- xxxx	Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute	>= 1 - < 2,5
		aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	308062-28-4	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 0,25 - < 1
SODIUM HYDROXIDE	1310-73-2 215-185-5 011-002-00-6 01-2119982981-22- xxxx	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1A; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 0,1 - < 1

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

### Klorin Power Mousse Spray

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 28.03.2019 1.2 26.07.2021 660000005899 Date of first issue: 01.11.2018

advice.

If symptoms persist, call a physician.

If skin irritation persists, call a physician. In case of skin contact

> If on skin, rinse well with water. If on clothes, remove clothes.

Immediately flush eye(s) with plenty of water. In case of eye contact

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes skin irritation.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** : Treat symptomatically.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

ucts

Hazardous combustion prod- : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment :

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralise with acid.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological

safety standards.

# COLGATE-PALMOLIVE COMPANY

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

Further information on stor-

age stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning products

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

### Personal protective equipment

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Hand protection

Material : Rubber gloves
Break through time : > 480 min
Glove thickness : 0,7 mm

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow

pH : 11,5 - 13,5

Concentration: 100 %

Flash point : > 93,33 °C

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

### 9.2 Other information

No data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : Exposure to sunlight.

Direct sources of heat.

### 10.5 Incompatible materials

Materials to avoid : Acids

### 10.6 Hazardous decomposition products

Chlorine

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

Not classified based on available information.

#### Components:

#### **SODIUM HYPOCHLORITE:**

Acute oral toxicity : LD50 (Rat): 8.800 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 10,5 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 20.000 mg/kg

Method: OECD Test Guideline 402

### Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### Klorin Power Mousse Spray

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

Acute oral toxicity : LD50 (Rat, male and female): 1.064 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): 10.000 mg/kg

**SODIUM HYDROXIDE:** 

Acute oral toxicity : LD50 (Rabbit): 500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

**SODIUM HYPOCHLORITE:** 

Result : Corrosive after 3 minutes to 1 hour of exposure

Remarks : Extremely corrosive and destructive to tissue.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Species : Rabbit Assessment : irritating

Method : OECD Test Guideline 404

Result : Skin irritation

**SODIUM HYDROXIDE:** 

Result : Corrosive

Remarks : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye damage.

**Components:** 

**SODIUM HYPOCHLORITE:** 

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Species : Rabbit Result : Corrosive

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

**SODIUM HYDROXIDE:** 

Result : Corrosive

Remarks : May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

**SODIUM HYPOCHLORITE:** 

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal

Result : Does not cause skin sensitisation.

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Exposure routes : Dermal Species : Guinea pig

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

**SODIUM HYDROXIDE:** 

Exposure routes : Inhalation

Remarks : No data available

Exposure routes : Dermal

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

#### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a com-

ponent of the hazard determination used to prepare the

statements in Section 2 of the SDS.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### Components:

#### **SODIUM HYPOCHLORITE:**

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 0,032 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,141 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 0,079 mg/l

Exposure time: 168 h

M-Factor (Acute aquatic tox-

icity)

: 10

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,04 mg/l

Species: Menidia peninsulae (tidewater silverside)

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

M-Factor (Chronic aquatic

toxicity)

: 1

#### Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Toxicity to fish : LC50 (Fish): 2,67 mg/l

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### Klorin Power Mousse Spray

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 28.03.2019 1.2 26.07.2021 660000005899 Date of first issue: 01.11.2018

> End point: mortality Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,1 mg/l

End point: Immobilization Exposure time: 48 h Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)):

0,143 mg/l

Exposure time: 72 h Test Type: static test

M-Factor (Acute aquatic tox-

icity)

EC10 (Pseudomonas putida): 0,143 mg/l Toxicity to microorganisms

Exposure time: 18 h

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,1 mg/l

Exposure time: 302 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

SODIUM HYDROXIDE:

Toxicity to fish LC50 (Fish): 35 - 189 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 40,4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

Remarks: No data available

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

### 12.2 Persistence and degradability

### **Components:**

### **SODIUM HYPOCHLORITE:**

according to Regulation (EC) No. 1907/2006 and COMMISSION REGULATION (EU) 2015/830

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

Biodegradability : Remarks: Not applicable

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90 % Exposure time: 28 d

**SODIUM HYDROXIDE:** 

Biodegradability : Remarks: Not applicable

12.3 Bioaccumulative potential

**Components:** 

**SODIUM HYPOCHLORITE:** 

Bioaccumulation : Bioconcentration factor (BCF): 3,16

Partition coefficient: n-

octanol/water

log Pow: -3,42

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

log Pow: < 2,7

SODIUM HYDROXIDE:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-

octanol/water

Remarks: No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

**Product:** 

Additional ecological infor- : An environmental hazard cannot be excluded in the event of

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

mation unprofessional handling or disposal.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

### **SECTION 14: Transport information**

### In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1 UN number

Not applicable

### 14.2 UN proper shipping name

Not applicable()

### 14.3 Transport hazard class(es)

Not applicable

### 14.4 Packing group

Not applicable

#### 14.5 Environmental hazards

No

### 14.6 Special precautions for user

No information available.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

VersionRevision Date:SDS Number:Date of last issue: 28.03.20191.226.07.2021660000005899Date of first issue: 01.11.2018

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High : Not applicable

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Regulation (EC) No 1005/2009 on substances that de- : Not applicable

plete the ozone layer

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

### Other regulations:

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents

### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H290 : May be corrosive to metals. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 28.03.2019

 1.2
 26.07.2021
 660000005899
 Date of first issue: 01.11.2018

H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage Met. Corr. : Corrosive to metals Skin Corr. : Skin corrosion Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

#### Classification of the mixture:

### Classification procedure:

Skin Irrit. 2 H315

Bridging principle "Substantially similar mixtures".

### **Klorin Power Mousse Spray**

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2	Revision Date: 26.07.2021	SDS Number: 660000005899	Date of last issue: 28.03.2019 Date of first issue: 01.11.2018
	Eye Dam. 1	H318	Bridging principle "Substantially similar mixtures".
	Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SE / EN